



FLIGHTBLOO LAVATORY FLUID

SAFETY DATA SHEET

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	FlightBloo – aircraft lavatory fluid
General or Generic ID:	Propane 1,2-diol; 1,2-dihydroxypropane; methyl-ethylene glycol; mono-propylene glycol
Manufacturer's Name: (same as Supplier)	Inland Technologies Canada Inc. P.O. Box 253, 14 Queen Street Truro, Nova Scotia B2N 5C1 Canada Phone: 1-877-633-5263 Email: marketing@inlandgroup.ca
Recommended Use:	Aircraft lavatory and antifreeze fluid
Restricted Use:	Not known
Emergency Telephone:	CANUTEC: 1-888-226-8832 (US & Canada)

SECTION 2. HAZARDS IDENTIFICATION

Hazard Classification

Health Hazards:	Acute Toxicity	Category 3
	Toxic to reproduction	Category 2
	Specific target organ toxicity – single exposure (Oral)	Category 2
	Serious eye damage/eye irritation	Category 2A

Label Elements

Hazard Symbol:



Signal Word:	Warning
Hazard statement:	May cause drowsiness or dizziness. May cause damage to organs (kidney) through prolonged or repeated exposure.

Precautionary Statements:	Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/mist/vapours/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.
----------------------------------	---

Response**IF EXPOSED:** Call a POISON CENTER or doctor/physician.**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention.**IF SWALLOWED:** Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.**Storage** – Keep container tightly closed. Store in a well-ventilated place. Store in a dry place. Secure all containers.**Disposal** – Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.**Other hazards which do not result in GHS classification.** None**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Chemical Identity</u>	<u>Common name and synonyms</u>	<u>CAS number</u>	<u>Content in Percent (%)</u>
PROPYLENE GLYCOL	Glycol, 1,2-propanediol	57-55-6	50-55%
HYDROGEN OXIDE	Water, H ₂ O	7732-18-5	Balance

SECTION 4. FIRST AID MEASURES

General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in advance. Remove contaminated clothing.
Ingestion:	Call a physician or poison control center immediately. Do not induce vomiting without advice from poison control center. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into lungs.
Inhalation:	Move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.
Skin contact:	Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Seek medical attention.

Most important symptoms/effects, acute and delayed:**Symptoms:** May irritate eyes. Harmful if swallowed.**Indication of immediate medical attention and special treatment needed:****Treatment:** Treat symptomatically. Symptoms may be delayed.**SECTION 5. FIRE FIGHTING MEASURES**

General fire hazards:	In case of fire and/or explosion, do not breathe fumes.
Suitable and unsuitable extinguishing media:	Suitable extinguishing media: Water spray, foam, dry powder, or carbon dioxide. Unsuitable extinguishing media: Direct water spray will spread fire.
Specific hazards arising from chemical:	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters:	Special firefighting procedures: Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out. Special protective equipment for firefighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment. Keep unauthorized personnel away. Keep up-wind. Ventilate closed spaces before entering them.
Methods and material for containment and cleaning:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification procedures:	Dike for later disposal. Prevent entry into waterways, sewers, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.
Environmental precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, watercourses or onto the ground.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:	Use personal protective equipment as required. Do not breathe mist or vapour. Avoid contact with eyes, skin and clothing. Do not taste or swallow. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.
Conditions for safe storage: (including any incompatibilities)	Keep container tightly closed. Store in well-ventilated place. Store in a dry place. Store in a locked or controlled access area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters:

Occupational Exposure Limits:

Chemical Identity	Type	Exposure Limit Values	Source
PROPYLENE GLYCOL	Ceiling	50 PPM 125 mg/m ³	US. OSHA VPEL
PROPYLENE GLYCOL	Ceiling	100 mg/m ³	ACGIH TLV

Engineering Controls:	Maintain sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLVs (threshold limit value).
------------------------------	--

Individual protection measures, such as personal protective equipment:

General information:	Good general ventilation (typically 10 air exchanges per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection:	Hand: Chemical resistant gloves. Other: Wear suitable protective clothing
Respiratory protection:	In case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapour cartridge, full facepiece, dust and mist filter.
Hygiene measures:	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Avoid contact with eyes, skin and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Physical State: Liquid Form: Liquid Colour: Clear (colourless)
Odour:	Odourless
Odour threshold:	No data available
pH:	6 – 8
Melting point/freezing point:	-76 °F (-60 °C)
Initial boiling point and boiling range:	>368 °F (>187 °C)
Flash point:	210 °F (99 °C), Method: Closed Cup
Evaporation rate:	0.01
Flammability (solid/gas):	No data available
Upper/lower limit on flammability:	Flammability limit – upper (%): 12.6 %(V) Flammability limit – lower (%): 2.6 %(V) Explosive limit – upper (%): No data available Explosive limit – lower (%): No data available
Vapour pressure:	0.13 mmHg @ 20 °C
Vapour density:	2.62 Air = 1.0
Relative density:	1.03 (20°C)
Solubility	Solubility in water: Miscible with water Solubility (other): No data available
Partition coefficient (n-octanol/water)	No data available
Auto-ignition temperature:	752 °F (400 °C)
Decomposition temperature:	No data available
Viscosity:	45 mPa.s at 20°C
Other information:	Minimum ignition temperature: 752°F (400°C) Molecular weight: 76.10 g/mol (C ₃ H ₈ O ₂)

SECTION 10. STABILITY AND REACTIVITY

Reactivity:	No dangerous reactions known under conditions of normal use.
Chemical stability:	Hygroscopic
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Conditions to avoid:	Excessive heat. Contact with incompatible materials. Exposure to moist air or water.
Incompatible materials:	Strong oxidizing agents. Acids.
Hazardous decomposition products:	Thermal decomposition may release oxides of carbon.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Ingestion:	Harmful if swallowed.
Inhalation:	Spray mist may irritate the respiratory system.
Skin contact:	May cause irritation.
Eye contact:	Causes serious eye irritation.

Information on toxicological effects:

Acute Toxicity

Oral:	LD ₅₀ (Rat): 2,000 mg/kg
Dermal:	LD ₅₀ (Rabbit): 20,800 mg/kg
Inhalation:	No data available
Repeated dose toxicity:	No data available.
Skin corrosion/irritation:	Defatting, drying and cracking of skin
Serious eye damage/eye irritation:	May irritate eyes
Respiratory or skin sensitization:	Not a skin sensitizer.
Carcinogenicity:	This substance has no evidence of carcinogenic properties.
Germ cell mutagenicity:	In Vitro: No mutagenic components identified. In Vivo: No mutagenic components identified.
Reproductive toxicity:	May damage fertility or the unborn child.
Specific target organ toxicity: (single exposure)	Central nervous system. Kidneys.
Specific target organ toxicity: (repeated exposure)	Kidney, spleen, blood.
Aspiration hazard:	Not classified.
Other effects:	None known.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity:

Acute hazards to the aquatic environment: ETHYLENE GLYCOL

Freshwater Fish:	LC ₅₀ (Fathead minnow, <i>Pimephales promelas</i> , 96 h): 51,600 mg/L LC ₅₀ (Bluegill, <i>Lepomis macrochirus</i> , 96 h): 51,400 mg/L
Aquatic Invertebrates:	EC ₅₀ (Water Flea (<i>Daphnia magna</i>), 48 h): 1,000 mg/L

Chronic hazards to the aquatic environment:

Fish:	No data available
Aquatic Invertebrates:	No data available
Toxicity to Aquatic Plants:	No data available

Persistence and degradability:

Biodegradation:	This product is expected to be biodegradable
BOD/COD Ratio:	No data available
Mobility in soil:	The product is water soluble and may spread in water systems
Other adverse effects:	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13. DISPOSAL CONSIDERATION

Disposal Instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
Contaminated packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.

SECTION 14. TRANSPORT INFORMATION

Canadian Transportation Of Dangerous Goods Act: Not regulated
US DOT: Proper shipping name:
Other regulated substances, liquid, N.O.S. (Ethylene glycol)
UN number: NA 3082
Class: 9

IMDG: Not regulated
IATA: Not regulated

SECTION 15. REGULATORY INFORMATION

Canadian Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

WHMIS Classification – Propylene Glycol: D2B – Poisonous/Infection material
Immediate/Serious effects
Toxic

United States Federal Regulations:

TSCA (Toxic Substances Control Act) Status: The intentional ingredients of this product are listed.

CERCLA RQ – 40 CFR 302.4(a): Not applicable

CERCLA RQ – 40 CFR 302.4(b): Not applicable

SARA 313 Components – 40 CFR 355 None

Section 311/312 Hazard Class – 40 CFR 370.2:

Immediate Delayed Fire Reactive Pressure Generating

SARA 313 Components – 40 CFR 372.65:

Section 313 Component(s):	CAS Number:	Percent (%):
PROPYLENE GLYCOL	57-55-6	50-55 %
HYDROGEN OXIDE	7732-18-5	Balance

State and Local Regulations:

California Proposition 65: None

New Jersey RTK Label Information: 1,2-Propylene Glycol – 57-55-6

Pennsylvania RTK Label Information: 1,2-Propylene Glycol – 57-55-6

Massachusetts RTK Label Information: 1,2-Propylene Glycol – 57-55-6

International Regulations:

Inventory Status: Not determined

SECTION 16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

Issue date: 03-03-18

Revision Date: 05-15-18

Version #: 1.0

Further Information: No data available